



Project No. 936-5972.31-4692046 Contract HRN-5972-C-00-4001-60

The AIDS Control and Provention (AIDSCAP) Project, implemented by Family Health International is funded by the United States Agency for International Development (USAID).















































BACK HOME ...












- 1 WHAT KINDS OF SYMPTOMS DID BETTY HAVE AND WHAT DID SHE DO ABOUT THEM ?
- 2 WHY WAS EMMA CONCERNED ABOUT BETTY?
- 5 HOW DID THE DOCTOR HELP BETTY ?









Carefully
open the
package so
the condom
does not tear.
Do <u>not</u> unroll
condom
before putting
it on.







If not
circumcised,
pull foreskin
back.
Squeeze tip of
condom and
put it on end
of hard penis.




Continue squeezing tip while unrolling condom until it covers all of penis.



Always put on a condom before entering partner.



After ejaculation (coming), hold rim of condom and pull penis out before penis gets soft.



Slide condom off without spilling liquid (semen) inside.



Tie and wrap the condom (in paper, if available) then throw away. Wash hands.



Burn or bury the condom with other household trash. Wash hands.



STDs

If not treated, STDs can cause serious illness, reduce the ability to have children, and even threaten the lives of newborn children.

The earlier STDs are treated, the easier they are to cure. Most can be detected by a visit to a health care worker, and almost all STDs can be cured completely.

Some symptoms of STDs include:

In Women -

- Unusual drip or fluid from the vagina.
- Itching in or around the vagina.
- Sores, bumps or blisters or swelling in or near the vagina or in the groin.
- Pain or burning with urination.
- Pain in the lower stomach, often with fever.

- A fishly smelling fluid from the vagina.
- Bleeding which is not from a menstrual period.
- Painful intercourse.

In Men -

- Unusual drip or fluid from the penis.
- Itching in or around the penis.
- Sores, bumps, blisters or swelling near the penis or in the groin.
- Pain or burning with urination.
- Pain in testicles.

If you have any of these signs, or your partner has been diagnosed with an STD, please go to a clinic

REMEMBER:

Some STDs have no symptoms at first, but a trained health worker can discover the disease.

ALSO REMEMBER:

To cure an STD you must take all the medicine.

If you are diagnosed with an STD, you should:

- Avoid sexual contact until you finish your medical treatment. If you must have sex, use a condom.
- Take all medication until it is gone, do not share it with your partner(s). If you don't finish all medication, your symptoms may disappear but you may still be infected.
- Inform your partner(s) that you have an STD and that they should visit a dector or health clinic.

THE ONLY WAY TO AVOID STDs, INCLUDING HIV/AIDS, IS TO USE A CONDOM EACH TIME, EVERY TIME!



THEIR COMMUNITIES TREATING SEXUALLY TRANSMITTED DISEASES TO PREVENT THE SPREAD OF AIDS IN IMPORTANCE OF USING CONDOMS, TAKING CARE OF THEMSELVES, AND PROMPTLY ATTEMPTS TO REACH AFRICAN WOMEN WITH LIFE-SAVING VESSAGES ABOUT THE THET HAVE SEX SHE SIA MODEL FOR WOMEN AND MEN WORKING IN AIDS PREVEN-MANY FRONTS. EMMA IS AN EXPERIENCED PEER EDUCATOR WITH A WEALTH OF TION IN COMMUNITIES THROUGHOUT AFRICA. EMMA SAYS: EACH TIME EVERY TIME NITY. SHE ENCOURAGES HER FRIENDS TO USE CONDOMS, EACH TIME, EYERY TIME KNOWLEDGE AND COMPASSION. SHE CARES ABOUT HER FRIENDS AND HER COMMU TIES, AND NATIONS... THE BATTLE AGAINST THE AIDS CRISIS MUST BE FOUGHT ON THROUGHOUT THE WORLD, THE AIDS EPIDEMIC IS DEVASTATING FAMILIES, COMPUNI

UNITED STATES AGENCY FOR INTERNATIONAL DEFELOPMENT (USAID). EMMA SAYS: EACH TIME, EVERY TIME WAS ORIGINALLY CREATED AS A FLIP CHART BY THE A DISTECT DIVISION OF FAMILY HEALTH INTERNATIONAL WITH FUNDING FROM THE

CONTENT CEVELOPMENT: REBECCA KOHLER, A DSTECH

LAHOMA SMITH ROMOCKI, AIDSTECH

GRAPHIC ARTIST: LUCQUES NISSET-RAIDON

FUNDING FROM USAID IN 1995. BOOK SERIES BY THE AIDSCA? PROJECT OF FAMILY HEALTH INTERNATIONAL WITH EMMA SAYS: EACH TIME, EVERY TIME WAS ADAPTED AND MODIFIED INTO A COMIC

Instructions for Use

and communities. may chose to use the comics in successive education sessions, or oil at once. Emma Says: Each Time, Every Time can also be taken home and shared with families, partners about the characters and the users own community, as well as condom use instructions. The comic books can be read to a group of people, or they can be used ane-an-one. Educators Emma Says: Each Time, Every Time is a comic book series designed to be used by AIDS prevention educators, outreach workers, peer educators, and health workers to teach about HIV/AIDS and STD prevention, especially condom use. The three stories illustrate situations which can be used to initiate discussion. Each story is followed by questions

While using this series with people who cannot read, we suggest educators read through the stories slowly, stopping to discuss the message of each illustration. The learner will remember key ideas if he/she can take the time to focus on the message from each frame.